June 1999

🗙 National Semiconductor

# LM81 Serial Interface ACPI-Compatible Microprocessor System **Hardware Monitor**

# **General Description**

The LM81 is a highly integrated data acquisition system for hardware monitoring of servers, Personal Computers, or virtually any microprocessor-based system. In a PC, the LM81 can be used to monitor power supply voltages, temperatures, and fan speeds. Actual values for these inputs can be read at any time. Programmable WATCHDOG™ limits in the LM81 activate a fully programmable and maskable interrupt system with two outputs ( $\overline{INT}$  and  $\overline{T_CRIT_}$ ).

The LM81 has an on-chip digital output temperature sensor with 9-bit or 12-bit resolution, a 6 analog input ADC with 8-bit resolution and an 8-bit DAC. Two fan tachometer outputs can be measured with the LM81's FAN1 and FAN2 inputs. The DAC, with a 0 to 1.25V output voltage range, can be used for fan speed control. Additional inputs are provided for Chassis Intrusion detection circuits, and VID monitor inputs. The LM81 has a Serial Bus interface that is compatible with SMBus™.

### Features

- Temperature sensing
- 6 positive voltage inputs with scaling resistors for monitoring +5V, +12V, +3.3V, +2.5V, Vccp power supplies directly
- 8-bit DAC output for controlling fan speed


- 2 fan speed monitoring inputs
- Chassis Intrusion Detector input
- WATCHDOG<sup>™</sup> comparison of all monitored values SMBus Serial Bus interface compatibility
- VID0-VID4 monitoring inputs

# **Key Specifications**


•	Voltage monitoring Error		+2% (max)	
•	Temperature Error -40°C to +125°C		± 3°C (max)	
	Supply Voltage Range		2.8V to 3.8V	
	Supply Current	Operating:	0.4 mA (typ)	
	ADC and DAC Resolution		8 Bits	
	Temperature Resolution		0.5°C	

### **Applications**

- System Thermal and Hardware Monitoring for Servers and PCs
- Office Electronics
- Electronic Test Equipment and Instrumentation



© 1999 National Semiconductor Corporation DS100072



Pin Name(s)	Pin Number	Number of Pins	Туре	Description
SMBCLK	4	1	Digital Input	Serial Bus Clock.
FAN1-FAN2	5-6	2	Digital Inputs	Schmitt Trigger fan tachometer inputs.
CI	7	1	Digital I/O	An active high input from an external circuit which latches a Chassis Intrusion event. This line can go high without any clamping action regardless of the powered state of the LM81. There is also an internal open-drain output on this line, controlled by Bit 6 of the Configuration Register (40h) or Bit 7 Cl Clear Register (46h), to provide a minimum 20 ms reset pulse. See <i>Section 3.3</i> and <i>Section 9.0</i> .
T_CRIT_A	8	1	Digital Output	Critical Temperature Alarm active low open-drain output. This pin can be grounded when not used.
V <sup>+</sup> (+2.8V to +3.8V)	9	1	POWER	+3.3V V <sup>+</sup> power. Bypass with the parallel combination of 10 $\mu F$ (electrolytic or tantalum) and 0.1 $\mu F$ (ceramic) bypass capacitors.
INT	10	1	Digital Output	Interrupt active low open-drain output. This output is enabled whe Bit 1 in the Configuration Register is set to 1. The default state is disabled.
DACOut/NTEST_IN	11	1	Analog Output/Digital Input	0V to +1.25V amplitude 8-bit DAC output. When forced high by a external voltage the NAND Tree Test mode is enabled which provides board-level connectivity testing. Refer to Section 11.0 or NAND Tree testing.
RESET	12	1	Digital I/O	Master Reset, 5 mA driver (open-drain), active low output with a 20 ms minimum pulse width. Available when enabled via Bit 4 in the Configuration register. It acts as an active low power on RESET input.
GND	13	1	GROUND	Internally connected to all circuitry. The ground reference for all analog inputs and the DAC output. This pin needs to be connected to a low noise analog ground plane for optimum performance of the DAC output.
Vccp2	14	1	Analog Input	Analog input for monitoring –12V or Vccp2. Selectable by choosing the appropriate external resistor divider values such that the input to the LM81 is scaled to +2.5V. See <i>Section 4.0.</i>
+12Vin	15	1	Analog Input	Analog input for monitoring +12V.
+5Vin	16	1	Analog Input	Analog input for monitoring +5V.
+3.3Vin	17	1	Analog Input	Analog input for monitoring +3.3V.
+2.5Vin	18	1	Analog Input	Analog input for monitoring +2.5V.
Vccp1	19	1	Analog Input	Analog input for monitoring Vccp, a processor voltage that is nominally at +2.5V.
VID4-VID0	20-24	5	Digital Inputs	Supply Voltage readouts from the Pentium/PRO power supplies that indicate the operating voltage or the processor (e.g. 1.5V to 2.9V). The values are read in the VID/Fan Divisor Register and the VID4 Register.
TOTAL PINS		24		

# Absolute Maximum Ratings (Notes 1, 2)

. .

If Military/Aerospace specified devices are required, please contact the National Semiconductor Sales Office/ Distributors for availability and specifications.

Positive Supply Voltage (V <sup>+</sup> ) Voltage on Any Input or Output Pin:	+6.0V
+12Vin, T_CRIT_A	-0.3V to +15V
A0, A1, DACOut	-0.3V to (V <sup>+</sup> + 0.3V)
+2.5Vin, +3.3Vin	(Note 3)
All other pins	-0.3V to +6V
Input Current at any Pin (Note 4)	±5 mA
Package Input Current (Note 4)	±20 mA
Maximum Junction Temperature (T <sub>J</sub> max)	150°C
ESD Susceptibility (Note 6)	
Human Body Model	2000V
Machine Model	200V

Soldering Information	
MTC Package (Note 7) :	
Vapor Phase (60 seconds)	215°C
Infrared (15 seconds)	235°C
Storage Temperature	-65°C to +150°C

# Operating Ratings (Notes 1, 2)

Operating Temperature Range	$T_{MIN} \leq T_A \leq T_{MAX}$
LM81	$-55^{\circ}C \le T_A \le +125^{\circ}C$
Specified Temperature Range	$T_{MIN} \leq T_A \leq T_{MAX}$
LM81	$-40^{\circ}C \le T_A \le +125^{\circ}C$
Junction to Ambient Thermal Resista	ance (0 <sub>JA</sub> (Note 5))
NS Package Number: MTC24B	95°C/W
Supply Voltage (V <sup>+</sup> )	+2.8V to +3.8V
V <sub>IN</sub> Voltage Range:	
+12Vin	-0.05V to +15V
+5Vin	-0.05V to +6.8V
+3.3Vin	-0.05V to +4.6V
+2.5Vin	-0.05V to +3.6V
VID0 - VID4, Vccp	-0.05V to +6.0V
All other inputs	-0.05V to (V <sup>+</sup> + 0.05V)

### **DC Electrical Characteristics**

The following specifications apply for +2.8V<sub>DC</sub>  $\leq$  V<sup>+</sup>  $\leq$  +3.8V<sub>DC</sub>, R<sub>S</sub> = 500 $\Omega$ , unless otherwise specified. Boldface limits apply for T<sub>A</sub> = T<sub>J</sub> = T<sub>J</sub> = T<sub>MIN</sub> to T<sub>MAX</sub>; all other limits T<sub>A</sub> = T<sub>J</sub> = 25°C. (Note 8)

Symbol	Parameter		Conditions	Typical	Limits	Units	
		(Note				(Limits)	
POWER	SUPPLY CHARACTERIST	ICS					
l+	Supply Current		Interface Inactive	400	900	µA (max)	
TEMPE	RATURE-TO-DIGITAL CON	VERTER CHARACTE	RISTICS				
	Error		$-40^{\circ}C \le T_A \le +125^{\circ}C$		±3	°C (max)	
	Resolution	9-bit mode			0.5	°C (min)	
		12-bit mode			0.0625	°C (min)	
LM81 AI	NALOG-TO-DIGITAL CON	ERTER CHARACTE	RISTICS				
	Resolution			8		bits	
TUE	Total Unadjusted Error	+2.5Vin,	(Notes 11, 12)		+2	% (max)	
		+3.3Vin, +5Vin			+0.8	% (min)	
		Vccp1, Vccp2	(Note 11)		+2.4	% (max)	
					0	% (min)	
		+12Vin	(Notes 11, 12)		+3.1	% (max)	
					+1.2	% (min)	
DNL	Differential Non-Linearity				±1	LSB (max)	
PSS	Power Supply Sensitivity			±0.4		%/V	
t <sub>C</sub>	Total Monitoring Cycle Tir	ne	(Note 13)	0.4		sec	
			9-bit Temp Resolution		0.82	sec (max)	
			12-bit Temp Resolution		1.2	sec (max)	
ADC INF	PUT CHARACTERISTICS						
	Input Resistance (All anal Vccp1 and Vccp2)	og inputs except		115	90	$k\Omega$ (min)	
	Vccp1 and Vccp2 DC Inp	ut Current		±1		μA	

DAC CHA		Conditions	Typical (Note 9)	Limits (Note 10)	Units (Limits)
	ARACTERISTICS		× /	. ,	. ,
	Resolution		8		Bits
	DAC Error	V <sup>+</sup> = 3.3V		±5 62.5	% (max) mV (max)
	DAC Error Temperature Sensitivity			100	ppm/°C (max)
	DAC Error Power Supply Sensitivity			1.5	%/V (max)
R	Output Load Resistance	V <sub>O</sub> = 1.25V		625	Ω (min)
C	Output Load Capacitance			20	pF (max)
- 1	A-TO-DIGITAL CONVERTER				
	Fan RPM Error	+25°C ≤ T <sub>A</sub> ≤ +75°C		±10	% (max)
		$-10^{\circ}C \le T_A \le +100^{\circ}C$		±15	% (max)
		$-40^{\circ}C \le T_A \le +125^{\circ}C$		±20	% (max)
	Full-scale Count			255	(max)
	FAN1 and FAN2 Nominal Input RPM (See Section 6.0)	Divisor = 1, Fan Count = 153 (Note 14)	8800		RPM
		Divisor = 2, Fan Count = 153 (Note 14)	4400		RPM
		Divisor = 3, Fan Count = 153 (Note 14)	2200		RPM
		Divisor = 4, Fan Count = 153 (Note 14)	1100		RPM
	Internal Clock Frequency	$+25^{\circ}C \le T_{A} \le +75^{\circ}C$	22.5	20.2 24.8	kHz (min) kHz (max)
		$-10^{\circ}C \le T_A \le +100^{\circ}C$	22.5	19.1	kHz (min)
		$-40^{\circ}C \le T_A \le +125^{\circ}C$	22.5	18	kHz (min) kHz (max)
				25.9	kHz (r kHz (r

Symbol	Parameter	Conditions	Typical	Limits	Units	
-			(Note 9)	(Note 10)	(Limits)	
DIGITAL	OUTPUTS (NTEST_OUT)					
V <sub>OUT(1)</sub>	Logical "1" Output Voltage	$I_{OUT} = \pm 3.0 \text{ mA at}$ V <sup>+</sup> = +2.8V		2.4	V (min)	
V <sub>OUT(0)</sub>	Logical "0" Output Voltage	$I_{OUT} = \pm 3.0 \text{ mA at}$ V <sup>+</sup> = +3.8V		0.4	V (max)	
OPEN- D	RAIN DIGITAL OUTPUTS (SMBData, I	RESET, CI, INT, T_CRIT_A)				
V <sub>OUT(0)</sub>	Logical "0" Output Voltage	I <sub>OUT</sub> = -3.0 mA		0.4	V (min)	
I <sub>он</sub>	High Level Output Current	V <sub>OUT</sub> = V <sup>+</sup>	0.1	100	µA (max)	
	RESET and Chassis Intrusion		45	20	ms (min)	
	Pulse Width					
DIGITAL	INPUTS: VID0-VID4, NTEST_IN, A0/N	TEST_OUT, A1, Chassis Intrusio	on (CI)			
V <sub>IN(1)</sub>	Logical "1" Input Voltage			2.0	V (min)	
V <sub>IN(0)</sub>	Logical "0" Input Voltage			0.8	V (max)	
SMBus	DIGITAL INPUTS (SMBCLK, SMBData)					
V <sub>IN(1)</sub>	Logical "1" Input Voltage			1.4	V (min)	
V <sub>IN(0)</sub>	Logical "0" Input Voltage			0.6	V (max)	
Tach Pu	Ise Logic Inputs (FAN1, FAN2)					
V <sub>IN(1)</sub>	Logical "1" Input Voltage			0.7 x V+	V (min)	
V <sub>IN(0)</sub>	Logical "0" Input Voltage			0.3 x V+	V (max)	
ALL DIG	ITAL INPUTS					
I <sub>IN(1)</sub>	Logical "1" Input Current	$V_{IN} = V^+$	-0.005	-1	μA (min)	
I <sub>IN(0)</sub>	Logical "0" Input Current	$V_{IN} = 0 V_{DC}$	0.005	1	µA (max)	
CIN	Digital Input Capacitance		20		pF	

· ·

	pecifications apply for +2.8 $V_{DC} \le V^+ \le +3.8V_{DC}$ on by for $T_A = T_J = T_{MIN}$ to $T_{MAX}$ ; all other limits $T_A = Parameter$	Conditions		Limits	Units
Symbol	Parameter	Conditions	Typical (Note 9)	(Note 10)	(Limits)
ERIAL BUS TI	MING CHARACTERISTICS		(1010-0)	(1010-10)	(Emito)
t <sub>1</sub>	SMBCLK (Clock) Period			2.5	µs (min)
t <sub>rise</sub>	SMBCLK and SMBData Rise Time			1	µs (max)
t <sub>fall</sub>	SMBCLK and SMBData Fall Time			300	ns (max)
t <sub>2</sub>	Data In Setup Time to SMBCLK High			100	ns (min)
t <sub>3</sub>	Data Out Stable After SMBCLK Low			0	ns (min)
t <sub>4</sub>	SMBData Low Setup Time to SMBCLK Low (start)			100	ns (min)
t <sub>5</sub>	SMBData High Hold Time After SMBCLK High (stop)			100	ns (min)
t <sub>TIMEOUT</sub>	SMBData or SMBCLK low time required to		31		ms
	reset the Serial Bus Interface to the Idle			25	ms (min)
	State			35	ms (max)
CL	Capacitive Load on SMBCLK and SMBData			400	pF (max)
SMBDA Data					<sup>t</sup> 5
SMBDA					t5 100072-4
SMBDA Data SMBDA	$\frac{t_4}{t_4}$				
SMBDA Data SMBDA	$\frac{t_4}{t_4}$				
SMBDA Data SMBDA	$\frac{t_4}{t_4}$				
SMBDA Data SMBDA	$\frac{t_4}{t_4}$				
SMBDA Data SMBDA	$\frac{t_4}{t_4}$				
SMBDA Data SMBDA	$\frac{t_4}{t_4}$				

# AC Electrical Characteristics (Continued)

Note 1: Absolute Maximum Ratings indicate limits beyond which damage to the device may occur. Operating Ratings indicate conditions for which the device is functional, but do not guarantee specific performance limits. For guaranteed specifications and test conditions, see the Electrical Characteristics. The guaranteed specifications apply only for the test conditions listed. Some performance characteristics may degrade when the device is not operated under the listed test conditions.

Note 2: All voltages are measured with respect to GND, unless otherwise specified.

Note 3: The Absolute maximum input range for :

.

+2.5Vin - –0.3V to (1.4 x V<sup>+</sup> + 0.42V or 6V, whichever is smaller

+3.3Vin - -0.3V to (1.8 x V<sup>+</sup> + 0.55V or 6V, whichever is smaller.

Note 4: When the input voltage (V<sub>IN</sub>) at any pin exceeds the power supplies (V<sub>IN</sub> < GND or V<sub>IN</sub> > V<sup>+</sup>), the current at that pin should be limited to 5 mA. The 20 mA maximum package input current rating limits the number of pins that can safely exceed the power supplies with an input current of 5 mA to four.


Note 5: The maximum power dissipation must be derated at elevated temperatures and is dictated by T<sub>J</sub>max, θ<sub>JA</sub> and the ambient temperature, T<sub>A</sub>. The maximum allowable power dissipation at any temperature is P<sub>D</sub> = (T<sub>J</sub> max-T<sub>A</sub>)/θ<sub>JA</sub>.

Note 6: The human body model is a 100 pF capacitor discharged through a 1.5 kΩ resistor into each pin. The machine model is a 200 pF capacitor discharged directly into each pin.

Note 7: See the section titled "Surface Mount" found in any post 1986 National Semiconductor Linear Data Book for other methods of soldering surface mount devices.

Note 8: Parasitics and or ESD protection circuitry are shown in the figure below for the LM81's pins. The nominal breakdown voltage of the zener D3 is 6.5V. Care should be taken not to forward bias the parasitic diode, D1, present on pins: A0/NTEST\_OUT, A1 and DACOut/NTEST\_IN. Doing so by more than 50 mV may corrupt a temperature or voltage measurement.

Pin Name	D1	D2	D3	D4	R1	R2	Pin Name	D1	D2	D3	D4	R1	F
INT		х	х		0	~~	+12Vin	х	х		х	R1-	+R
												~12	201
CI		х	х		0	~	Vccp1, Vccp2		х	х		0	
FAN1-FAN2			х		0	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	+5Vin	х	х		х	R1-	+R
												~12	20
SMBCLK			x		0	~	+3.3Vin, +2.5Vin	x	х	х		R1-	+R
												~12	201
SMBData		х	х		0	~	T_CRIT_A		х		х	0	
RESET		х	x		0	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	VID4-VID0		х	х		0	
A0/NTEST_OUT	x	х	х		0	~~	DACOut/NTEST_IN	х	х	х		0	
A1	х	х	х		0	~~~~							



#### An x indicates that the diode exists.

#### FIGURE 2. ESD Protection Input Structure

Note 9: Typicals are at  $T_J = T_A = 25^{\circ}C$  and represent most likely parametric norm.

Note 10: Limits are guaranteed to National's AOQL (Average Outgoing Quality Level).


Note 11: TUE (Total Unadjusted Error) includes Offset, Gain and Linearity errors of the ADC.

Note 12: Guaranteed at 3/4 scale ±15%.

Note 13: Total Monitoring Cycle Time includes temperature conversion, 6 analog input voltage conversions and 2 tachometer readings. Each 9-bit temperature and 8-bit input voltage conversion takes 50 ms typical and 56 ms maximum. Twelve bit temperature conversion takes 400 ms. Fan tachometer readings take 20 ms typical, at 4400 rpm, and 200 ms maximum.

Note 14: The total fan count is based on 2 pulses per revolution of the fan tachometer output.

Note 15: Timing specifications are tested at the specified logic levels,  $V_{IL}$  for a falling edge and  $V_{IH}$  for a rising edge.



### **1.0 GENERAL DESCRIPTION**

The LM81 provides 6 analog inputs, a temperature sensor, a Delta-Sigma ADC (Analog-to-Digital Converter), a DAC output, 2 fan speed counters, WATCHDOG registers, and a variety of inputs and outputs on a single chip. A two wire Serial Bus interface is included. The LM81 performs power supply, temperature, fan control and fan monitoring for personal computers.

The analog inputs are useful for monitoring several power supplies present in a typical computer. The LM81 includes internal resistor dividers that scale and/or offset external Vccp, +2.5V, +3.3V, +5.0V and +12V power supply voltages to a 3/4 scale nominal ADC output. The LM81 ADC then continuously converts the scaled inputs to 8-bit digital words. Measurement of negative voltages (such as -5V and -12V power supplies) can be accommodated with an external resistor divider applied to the Vccp2 input. Temperature is converted to a 9-bit or 12-bit two's-complement digital word with a 0.5°C LSB or 0.0625°C LSB, respectively.

Fan inputs measure the period of tachometer pulses from the fans, providing a higher count for lower fan speeds. The fan inputs are Schmitt-Trigger digital inputs with an acceptable range of 0V to V<sup>+</sup> and a transition level of approximately V<sup>+</sup>/2. Full scale fan counts are 255 (8-bit counter) and this represents a stopped or very slow fan. Nominal speeds, based on a count of 153, are programmable from 1100 to 8800 RPM on FAN1 and FAN2. Schmitt-Trigger input circuitry is included to accommodate slow rise and fall times. A 0V to 1.25V DAC output voltage range can be used for control of fan speed.

The LM81 has several internal registers, as shown in Figure 4, Table 1 and Section 13.0. These include:

- Configuration Register: Provides control and configuration.
- Interrupt Status Registers: Two registers to provide status of each WATCHDOG limit or Interrupt event.
- Interrupt Mask Registers: Allows masking of individual Interrupt sources, as well as separate masking for each of the two hardware Interrupt outputs.

- VID/Fan Divisor Register: This register contains the state of the VID0-VID3 input lines and the divisor bits for FAN1 and FAN2 inputs.
- Serial Bus Address Register: Contains the Serial Bus address. At power on it assumes the default value of 01011XX binary, and can be altered by the state of A0 and A1.
- VID4 Register: Contains the state of the VID4 input.
- Temperature Configuration Register: Selects the interrupt mode and contains the 0.5°C LSB of the temperature reading.
- Extended Mode Registers: Enable and control the Extended Mode which includes the LSBs of the 12-bit temperature reading, T\_CRIT, and T<sub>HYST</sub>
- Value RAM: The DAC digital input, monitoring results (temperature, voltages, fan counts), WATCHDOG limits, and Company/Stepping IDs are all contained in the Value RAM. The Value RAM consists of a total of 34 bytes, addresses 15h - 3Fh, containing:
  - byte 1 at address 15h a manufacturers test register
  - locations 16h 18h are unassigned and do not have associated registers
  - byte 2 at address 19h contains the DAC Data Register
  - locations 1Ah 1Fh are unassigned and do not have associated registers
  - the next 10 bytes at addresses 20h -29h contain all of the results, with address 26h reserved
  - the next 18 bytes at addresses 2Bh-3Ch are the WATCHDOG limits
  - the last 2 bytes at addresses 3Eh and 3Fh contain the Company ID and Stepping ID numbers, respectively

When the LM81 is started, it cycles through each measurement in sequence, and it continuously loops through the sequence approximately once every 400 ms. Each measured value is compared to values stored in WATCHDOG, or Limit registers. When the measured value violates the programmed limit the LM81 will set a corresponding Interrupt in the Interrupt Status Registers. The hardware Interrupt line INT is fully programmable with separate masking of each In-



terrupt source. In addition, the Configuration Register has a control bit to enable or disable the hardware Interrupt. Another hardware Interrupt line available  $T\_CRIT\_A$  (Critical Temperature Alarm Output) is used to signal a catastrophic overtemperature event. Having a dedicated interrupt for this

purpose allows for the fastest possible response time to a thermal runaway event. This output can be enabled by setting bit 4 of Extended Mode Register 1.


The Chassis Intrusion input is designed to accept an active high signal from an external circuit that latches when the case is removed from the computer.

# 2.0 INTERFACE Configuration Register 40h Interrupt Status Register 1 41h Interrupt Status Register 2 42h Interrupt Mask Register 1 43h Interrupt Mask Register 2 44h CI Clear Register 46h Address VID/Fan Divisor Register Register 47h Serial Bus Address Register SMBData 48h Serial SMBCLK Bus Interface Register VID4 Register 49h Temperature Configuration Register 4Bh Extended Mode Register 1 4Ch Data Extended Mode Register 2 Register 4Dh Value Ram DAC Data Register 19h Value RAM 32 bytes 20h - 3Fh DS100072 FIGURE 4. LM81 Register Structure

# 2.1 Internal Registers of the LM81

# TABLE 1. The internal registers and their corresponding internal LM81 addresses are as follows:

Register	LM81 Internal Hex Address	Power on Value	Notes
Configuration Register	40h	0000 1000	
Interrupt Status Register 1	41h	0000 0000	
Interrupt Status Register 2	42h	0000 0000	
Interrupt Mask Register 1	43h	0000 0000	
Interrupt Mask Register 2	44h	0000 0000	
CI Clear Register	46h	0000 0000	
VID/Fan Divisor Register	47h	0101 XXXX	The upper four bits set the divisor for Fan Counters 1 and 2. The lower four bits reflect the state of the VID0-VID3 inputs.
Serial Bus Address Register	48h	0010 11XX	The lower 2 bits reflect the state of A1 and A0, the Serial Bus address input pins.
VID4 Register	49h	1000 000X	The lower bit reflects the state of VID4 input.
Temperature Configuration Register	4Bh	0000 0001	
Extended Mode Register 1	4Ch	0100 0100	
Extended Mode Register 2	4Dh	0000 0000	
Value RAM DAC Data Register	19h	1111 1111	
Value RAM	20h-3Fh		Contains: monitoring results (temperature, voltages, fan counts), WATCHDOG limits, and Company/Stepping IDs



### Functional Description (Continued) 3.0 USING THE LM81

#### 3.1 Power On

When power is first applied, the LM81 performs a "power on reset" on several of its registers. The power on condition of the LM81's registers in shown in *Table 1* Registers whose power on values are not shown have power on conditions that are indeterminate (this includes the value RAM, exclusive of the DAC data, and WATCHDOG limits). When power is first applied the ADC is inactive. In most applications, usually the first action after power on is usually to write WATCH-DOG limits into the Value RAM. Register values can be returned to their default values after power is applied to the LM81 by taking RESET low for at least 50 ns.

#### 3.2 Resets

Configuration Register INITIALIZATION accomplishes the same function as power on reset on most registers. The Value RAM conversion results, and Value RAM WATCH-DOG limits are not Reset and will be indeterminate immediately after power on. If the Value RAM contains valid conversion results and/or Value RAM WATCHDOG limits have been previously set, they will not be affected by a Configuration Register INITIALIZATION. Power on reset, or Configuration Register INITIALIZATION, clear or initialize the following registers (the initialized values are shown on *Table 1*:

- Configuration Register
- Interrupt Status Register 1
- Interrupt Status Register 2
- INT Mask Register 1
- INT Mask Register 2
- VID/Fan Divisor Register
- Serial Bus Address Register (Power on reset only, not reset by Configuration Register INITIALIZATION)
- VID4 Register
- · Temperature Configuration Register
- Extended Mode Register 1
- Extended Mode Register 2

Configuration Register INITIALIZATION is accomplished by setting Bit 7 of the Configuration Register high. This bit automatically clears after being set.

#### 3.3 Using the Configuration Register

The Configuration Register controls the LM81 operation. At power on, the ADC is stopped and INT\_Clear is asserted, clearing the  $\overline{\rm INT}$  hardwire output. The Configuration Register starts and stops the LM81, enables and disables interrupt output, and provides the Reset function described in *Section 3.2.* 

Bit 0 of the Configuration Register controls the monitoring loop of the LM81. Setting Bit 0 low stops the LM81 monitoring loop and puts the LM81 in shutdown mode, reducing power consumption. Serial Bus communication can take place with any register in the LM81 although activity on the SMBData and SMBCLK lines will increase shutdown current, up to as much as maximum rated supply current, while the activity takes place. Taking Bit 0 high starts the monitoring loop, described in more detail subsequently.

Bit 1 of the Configuration Register enables the  $\overline{\text{INT}}$  Interrupt hardwire output when this bit is taken high.

Bit 3 of the Configuration Register clears the  $\overline{\rm INT}$  output when set high, without affecting the contents of the Interrupt Status Registers. The LM81 will stop monitoring. It will resume upon clearing of this bit.

Bit 4 of the Configuration Register provides an active low 20 ms pulse at the RESET output when set high.

The Cl\_Clear provides an active low 20 ms pulse at the  $\overline{\text{Cl}}$  output pin when set high. This is intended for resetting the Chassis Intrusion circuitry.

The INITIALIZATION bit resets the internal registers of the LM81 as described in *Section 3.2*.

#### 3.4 Starting Conversions

The monitoring function (Analog inputs, temperature, and fan speeds) in the LM81 is started by writing to the Configuration Register and setting INT\_Clear (Bit 3), low, and Start (bit 0), high. The LM81 then performs a "round-robin" monitoring of all analog inputs, temperature, and fan speed inputs approximately once every 400 ms. The sequence of items being monitored corresponds to locations in the Value RAM and is:

- 1. Temperature
- 2. Vccp2
- 3. +12Vin
- 4. +5Vin
- 5. +3.3Vin
- 6. Vccp1
- 7. +2.5Vin
- 8. Fan 1
- 9. Fan 2

DACOut immediately changes after the DAC Data Register in the Value RAM has been updated. For a zero to full scale transition DACOut will typically settle within 100 µsec of the stop by master in the write to the DAC Data Register Serial Bus transaction. The DAC Data Register is not reset by the INITIALIZATION bit found in the Configuration Register.

#### 3.5 Reading Conversion Results

The conversion results are available in the Value RAM. Conversions can be read at any time and will provide the result of the last conversion. Because the ADC stops, and starts a new conversion whenever it is read, reads of any single value should not be done more often than once every 56 ms. When reading all values, allow at least 0.82 seconds be tween reading groups of values. Reading more frequently than once every 0.82 seconds can also prevent complete updates of Interrupt Status Registers and Interrupt Output's. A typical sequence of events upon power on of the LM81 would consist of:

- 1. Set WATCHDOG Limits
- 2. Set Interrupt Masks
- 3. Start the LM81 monitoring process

#### **4.0 ANALOG INPUTS**

All analog input voltages are digitized to 8-bits of resolution. All analog inputs, except for Vccp1 and Vccp2, include internal resistor attenuators. The theoretical LSB size, theoretical voltage input required for an ADC reading of 192 (3/4 scale) and 255 (full scale) for each analog input is detailed in the table below:

Input	LSB size	Vin for 192	Vin for 255
2.5 Vin	13 mV	2.5V	3.320V
3.3 Vin	17.2 mV	3.3V	4.383V
5 Vin	26 mV	5V	6.641V
12 Vin	62.5 mV	12V	15.93V
Vccp1, Vccp2	14.1 mV	2.7V	3.586V

Thus monitoring power supplies within a system can be easily accomplished by tying the Vccp, +2.5 Vin, +3.3 Vin, +5 Vin and +12 Vin analog inputs to the corresponding system supply. A digital reading can be converted to a voltage by simply multiplying the decimal value of the reading by the LSB size.

For inputs with attenuators the input impedance is greater than 90 k $\Omega$ . Vccp inputs do not have resistor attenuators and are are directly tied to the ADC, therefore having a much larger input impedance.

A negative power supply voltage can be applied to a Vccp input through a resistor divider referenced to a known positive DC voltage as show in *Figure 6*. The resistor values shown in the table below for the circuit of *Figure 6* will provide approximately 1.25V at the Vccp analog inputs of the LM81 for a nominal reading of 89.

Voltage Measure- ments (V <sub>S</sub> )	R2	R1	V+	Voltage at Analog In- puts (ADC code 89)
-12V	40 kΩ	141 kΩ	+5V	+1.25V
-5V	40 kΩ	66.7 kΩ	+5V	+1.25V




FIGURE 6. Input Examples. Resistor values shown in table provide approximately 1.25V at the Vccp inputs.

The resistors were selected by setting R2 = 40 k $\Omega$  and then calculating R2 using the following equation:

R1 = 
$$[(1.25V - V_S) \div (V^+ - 1.25V)] \times 40 \text{ k}\Omega$$

The maximum R1 can be is restricted by the DC input current of a Vccp input.

Inputs with internal resistor dividers (+2.5 Vin. +3.3 Vin or +5 Vin, +12 Vin) can have voltage applied that exceeds the power supply up to: 3.6V for +2.5 Vin, 4.6V for +3.3 Vin, 6.8V for +5 Vin, and 15V for +12 Vin. The Vccp inputs have a parasitic diode to the positive supply, so care should be taken not to forward bias this diode. All analog inputs have internal diodes that clamp the input voltage when going below ground thus limiting the negative analog input voltage range to -50 mV. Violating the analog input voltage range of any analog input has no detrimental effect on the other analog inputs. External resistors should be included to limit input currents to the values given in the ABSOLUTE MAXIMUM RATINGS for Input Current At Any Pin whenever exceeding the analog input voltage range, even on an un-powered LM81. Inputs with external attenuator networks will usually meet these requirements. If it is possible for inputs without attenuators (such as Vccp1 and Vccp2) to be turned on while LM81 is powered off, additional resistors of about 10 k $\Omega$ should be added in series with the inputs to limit the input current.

#### 4.1 Analog Input Interrupts

A WATCHDOG window comparison on the analog inputs can activate the  $\overline{\rm INT}$  interrupt output. A converted input voltage that is above its respective HIGH limit or less than or equal to its LOW limit will cause a flag to be set in its Interrupt Status Register. This flag will activate the  $\overline{\rm INT}$  output when its mask bit is set low. Mask bits are found in the Interrupt Mask Registers.

#### 5.0 LAYOUT AND GROUNDING

A separate, low-impedance ground plane for analog ground, which provides a ground point for both GND pins, voltage dividers and other analog components, will provide best performance but is not mandatory. Analog components such as voltage dividers should be located physically as close as possible to the LM81.

The power supply bypass, the parallel combination of 10  $\mu F$  (electrolytic or tantalum) and 0.1  $\mu F$  (ceramic) bypass capacitors connected between pin 12 and ground, should also be located as close as possible to the LM81.

#### 6.0 FAN INPUTS

The FAN1 and FAN2 inputs accept signals from fans equipped with tachometer outputs. These are logic-level inputs with an approximate threshold of V<sup>+</sup>/2. Signal conditioning in the LM81 accommodates the slow rise and fall times typical of fan tachometer outputs. The maximum input signal range is 0 to V<sup>+</sup>. In the event these inputs are supplied from fan outputs which exceed 0 to V<sup>+</sup>, either resistive division or diode clamping must be included to keep inputs within an acceptable range, as shown in *Figure 7*. R2 is selected so that it does not develop excessive voltage due to input leakage. R1 is selected based on R2 to provide a minimum input of 2V and a maximum of V<sup>+</sup>. R1 should be as low as possible to provide the maximum possible input up to V<sup>+</sup> for best noise immunity. Alternatively, use a shunt reference or zener diode to clamp the input level.

If fans can be powered while the power to the LM81 is off, the LM81 inputs will provide diode clamping. Limit input current to the Input Current at Any Pin specification shown in the ABSOLUTE MAXIMUM RATINGS section. In most cases, open collector outputs with pull-up resistors inherently limit this current. If this maximum current could be exceeded, either a larger pull up resistor should be used or resistors connected in series with the fan inputs.


The Fan Inputs gate an internal 22.5 kHz oscillator for one period of the Fan signal into an 8-bit counter (maximum count = 255). The default divisor, located in the VID/Fan Divisor Register, is set to 2 (choices are 1, 2, 4, and 8) providing a nominal count of 153 for a 4400 rpm fan with two pulses per revolution. Typical practice is to consider 70% of normal RPM a fan failure, at which point the count will be 219.

Determine the fan count according to:

$$Count = \frac{1.35 \times 10^{6}}{RPM \times Divisor}$$

Note that Fan 1 and Fan 2 Divisors are programmable via the VID/Fan Divisor Register.

Fan tachometer outputs that provide one pulse per revolution should use a divisor setting twice that of outputs that provide two pulses per revolution. For example, a 4400 RPM fan that provides one pulse per revolution should have the divisor set to 4 such that the nominal counter output is 153.



www.national.com


16

### 7.0 DAC OUTPUT

The LM81 provides an 8-bit DAC (Digital-to-Analog Converter) with an output range of 0 to 1.25 volts (4.88 mV LSB). This DAC can be used in any way, but in most applications of the LM81 the DAC will be used for fan control. Typically the DAC output would be amplified to provide the up to 12 volt drive required by the fan. At power-on the DAC provides full output, insuring that full fan speed is the default condition. Care should be taken such that the analog circuitry tied to this pin does not drive this pin above 2.5V. Doing so will place the LM81 in NAND tree test mode which will make all pins inputs, thus disabling any response from the LM81.


Fans do not start reliably at reduced voltages, so operation at a reduced voltage should be preceded by a brief (typically 1 second) excursion to full operating voltage, then reduce the voltage. Most fans do not operate at all below 5 to 7 volts. At those lower voltages the fan will simply consume current, dissipate power, and not operate and such conditions should be avoided. The output of the amplifier can be configured to provide a high or low side pass transistor. A high side pass transistor simplifies the coupling of tachometer outputs to the tachometer inputs of the LM81 since the fan remains grounded. Low side drive will require AC coupling along with clamping at the LM81 input to prevent negative excursions.

A typical circuit for fan drive is shown in *Figure 8*. R4 is used when a negative power supply is available to eliminate offset in the amplifier and provide a 0 to 11.5 volt output (actually 12 volts less saturation). Omitting R4 will create a "dead zone" between approximately 0 to 6 volts output (a potentially unusable region anyway). In many applications protecting the pass transistor Q2 from faults such as a shorted fan can be accomplished by taking advantage of the current limit already existing on the 12 volt supply. Q2 will have to be heat-sunk accordingly. Otherwise, use the suggested current limit limit circuit as shown.




#### 8.0 TEMPERATURE MEASUREMENT SYSTEM

The LM81 temperature sensor and ADC produce 9-bit or 12-bit two's-complement temperature data. A digital comparator compares the temperature data to the user-programmable High, Low, Critical setpoints and Hysteresis values.



(Non-Linear Scale for Clarity)

#### FIGURE 9. 9-bit Temperature-to-Digital Transfer Function



(Non-Linear Scale for Clarity)

#### FIGURE 10. 12-bit Temperature-to-Digital Transfer Function

#### 8.1 Temperature Data Format

Temperature data can be read from the Temperature,  $T_{HIGH}$  setpoint,  $T_{HIHYST}$  setpoint,  $T_{LOW}$  setpoint,  $T_{C}$  setpoint and  $T_{HYST}$  Offset registers; and written to the  $T_{HIGH}$  setpoint,  $T_{HIHYST}$ ,  $T_{LOW}$  setpoint,  $T_{C}RIT$  setpoint and  $T_{HYST}$  offset registers.  $T_{HIGH}$  setpoint,  $T_{LOW}$  setpoint,  $T_{C}RIT$  setpoint temperature data is represented by an 8-bit, two's complement word with an LSB (Least Significant Bit) equal to 1°C:

Temperature	Digital Output		
	Binary	Hex	
+125°C	0111 1101	7Dh	
+25°C	0001 1001	19h	
+1.0°C	0000 0001	01h	
+0°C	0000 0000	00h	
–1.0°C	1111 1111	FFh	
–25°C	1110 0111	E7h	
–55°C	1100 1001	C9h	

By default Temperature Register data is represented by a 9-bit two's complement digital word with the LSB having a resolution of 0.5°C:

Temperature	Digital Output		
	Binary	Hex	
+125°C	0 1111 1010	0 FAh	
+25°C	0 0011 0010	0 32h	
+1.5°C	0 0000 0011	0 03h	
+0°C	0 0000 0000	0 00h	
–0.5°C	1 1111 1111	1 FFh	
–25°C	1 1100 1110	1 CEh	
–55°C	1 1001 0010	1 92h	

In the extended mode temperature Register data can also be represented by a 12-bit two's complement digital word with an LSB of 0.0625°C:

Temperature	Digital Output		
	Binary	Hex	
+125°C	0111 1100 0000	7 D0h	
+25°C	0001 1001 0000	1 90h	
+1.0°C	0000 0001 0000	0 10h	
+0.0625°C	0000 0000 0001	0 01h	
0°C	0000 0000 0000	0 00h	
–0.0625°C	1111 1111 1111	F FFh	
–1.0°C	1111 1111 0000	F F0h	
–25°C	1110 0111 0000	E 70h	
–55°C	1100 1001 0000	C 90h	


 $T_{\rm HYST}$  Offset temperature data is represented by a 3-bit word with an LSB (Least Significant Bit) equal to 1°C.

www.national.com


#### 8.2 Temperature Interrupts

INT and T\_CRIT\_A outputs are provided for temperature interrupt. Temperature interrupts have a normal and an extended option of operation. Each option has three different modes of operation: Repetitive Interrupt, One-Time Interrupt and Comparator.

Normal Repetitive Interrupt Mode is shown in Figure 11 and operates in the following way: T\_CRIT\_A is disabled. Exceeding T<sub>HIGH</sub> causes an interrupt that will remain active indefinitely until reset by reading Interrupt Status Register 1. Once reset if the temperature remains above the T<sub>HIHYST</sub> setpoint the interrupt will again be activated at the completion of another conversion cycle. If temperature is less than or equal to T<sub>HIHYST</sub> the interrupt will not be activated.




\*Note: Interrupt resets occur only when interrupt Status Register 1 is read. FIGURE 11. Normal Repetitive Interrupt Response Diagram **Normal One-Time Interrupt Mode** is shown in *Figure 12* and operates in the following way: T\_CRIT\_A is disabled. Exceeding T<sub>HIGH</sub> causes an interrupt that will remain active indefinitely until reset by reading Interrupt Status Register 1. Another interrupt will not occur until the temperature drops to less than or equal to T<sub>HIHYST</sub> and then exceeds T<sub>HIGH</sub> during a subsequent conversion. After power up this mode is selected as default.



\*Note: Interrupt resets occur only when interrupt Status Register 1 is read. FIGURE 12. One-Time Interrupt Response Diagram

**Normal Comparator Mode** is shown in *Figure 13* and operates in the following way:  $\overline{T_{C}CRIT_{A}}$  is disabled. Exceeding  $T_{HIGH}$  causes an interrupt that will remain activated until the temperature is less than or equal to  $T_{HIGH}$ .  $T_{LOW}$  is disabled.



\*Note: Interrupt resets occur only when interrupt Status Register 1 is read. FIGURE 13. Normal Comparator Mode

**Extended Repetitive Interrupt Mode** is shown in *Figure 14* and operates in the following way: Once activated, all interrupts remain activated until reset by a read of the Interrupt Status Register 1. Once activated all  $\overline{T_CRIT_A}$  interrupts remain activated until reset by a read of the Extended Mode Register 1. Temperature conversion data less than or equal to  $T_{LOW}$  will activate interrupt. Interrupt will continue to be activated until the temperature data exceeds ( $T_{LOW} + T_{HYST}$ ). Exceeding  $T_{HIGH}$  activates interrupt. Interrupt will continue to be activated at the end of a conversion until the temperature data is less than or equal to ( $T_{HIGH} - T_{HYST}$ ).  $\overline{T_CRIT_A}$  interrupts are activated when the temperature exceeds  $T_CRIT_A$  interrupts will no longer be activated if the temperature data at the end of a conversion is less than or equal to ( $T_CRIT_A$  interrupts will no longer be activated if the temperature data at the end of a conversion is less than or equal to ( $T_CRIT_A$  interrupts will no longer be activated if the temperature data at the end of a conversion is less than or equal to ( $T_CRIT_A$ ).







FIGURE 14. Extended Repetitive Interrupt Mode


Extended One-Time Interrupt Mode is shown in Figure 15 and operates in the following way: Once activated all interrupts remain activated until reset by a read of the Interrupt Status Register 1. Once activated all T\_CRIT\_A interrupts remain activated until reset by a read of the Extended Mode Register 1. An interrupt will be activated when the data of a temperature conversion is less than or equal to  $T_{LOW}$ . Interrupt cannot again be activated until the data from a temperature conversion is greater than  $(T_{LOW} + T_{HYST})$ . An interrupt will be activated when the data of a temperature conversion is greater than  $T_{\mbox{\scriptsize HIGH}}.$  Interrupt cannot again be activated until the data of a temperature conversion is less than or equal to  $(T_{HIGH} - T_{HYST})$ . T\_CRIT\_A interrupt is activated when the data from a temperature conversion is greater than T\_CRIT. Activation of an T\_CRIT\_A interrupt cannot occur until the data from a temperature conversion is less than or equal to (T\_CRIT –  $T_{HYST}$ ).



**Extended Comparator Mode** is shown in *Figure 16* and operates in the following way: Interrupt is activated when the data from a temperature conversion is less than or equal to  $T_{LOW}$ . Interrupt is reset when the data from a temperature conversion exceeds  $(T_{LOW} + T_{HIGH})$ . Exceeding  $T_{HIGH}$  will activate interrupt. This interrupt will be reset when data from a temperature conversion is less than or equal to  $(T_{HIGH} - T_{HYST})$ .  $\overline{T_CRIT_A}$  interrupt is activated when the temperature exceeds T\_CRIT.  $\overline{T_CRIT_A}$  remains active until the data from a temperature conversion is less than or equal to  $(T_{L}CRIT - T_{HYST})$  resets it.







T\_CRIT\_A interrupt is dedicated to temperature and is indicated in Extended Mode Register 1. Extended Mode Register 1 controls T\_CRIT\_A.

#### 9.1 Interrupt Clearing

Reading a Status Register will output the contents of the Register, and reset the Register. A subsequent read done before the analog "round-robin" monitoring loop is complete will indicate a cleared Register. Allow at least 820 ms to allow all Registers to be updated between reads. In summary, the Interrupt Status Register clears upon being read, and requires at least 400 ms to be updated. When the Interrupt Status Register clears, the hardware interrupt line will also clear until the Registers are updated by the monitoring loop. The hardware Interrupt line ( $\overline{INT}$ ) is cleared with the INT\_Clear bit, which is Bit 3 of the Configuration Register. When this bit is high, the LM81 monitoring loop will stop. It will resume when the bit is low.


#### 10.0 RESET I/O

RESET is intended to provide a master reset to devices connected to this line. INT Mask Register 2, Bit 7, must be set high to enable this function. Setting Bit 4 in the Configuration Register high outputs a least 20 ms low on this line, at the end of which Bit 4 in the Configuration Register automatically clears. Again, the label for this pin is only its suggested use. In applications where the RESET capability is not needed it can be used for any type of digital control that requires a 20 ms active low open-drain output.

RESET operates as an input when not activated by the Configuration Register. Setting this line low will reset all of the registers in the LM81 to their power on default state. All Value RAM locations will not be affected except for the DAC Data Register.

#### **11.0 NAND TREE TESTS**

A NAND tree is provided in the LM81 for Automated Test Equipment (ATE) board level connectivity testing. DACOut/ NTEST\_IN, T\_CRIT\_A, V<sup>+</sup> and GND pins are excluded from NAND tree testing. Taking DACOut/NTEST\_IN high before the first write to the configuration register activates the NAND Tree test mode. After the first write to the configuration register the NAND Tree test mode cannot be reactivated. To perform a NAND tree test all pins included in the NAND tree should be driven to 1 forcing the A0/ NTEST\_OUT high. Each individual pin starting with A1 and concluding with SMBData (excluding DACOut/NTEST\_IN, T\_CRIT\_A, V<sup>+</sup> and GND) can be taken low with the resulting toggle observed on the A0/NTEST\_OUT pin. Allow for a typic cal propagation delay of 500 ns.



12.0 FAN MANUFACTURERS

Manufacturers of cooling fans with tachometer outputs are listed below:

NMB Tech

9730 Independence Ave. Chatsworth, California 91311 818 341-3355 818 341-8207

Model Num- ber	Frame Size	Airflow CFM
2408NL	2.36 in sq. X 0.79 in	9-16
	(60 mm sq. X 20 mm)	
2410ML	2.36 in sq. X 0.98 in	14-25
	(60 mm sq. X 25 mm)	
3108NL	3.15 in sq. X 0.79 in	25-42
	(80 mm sq. X 20 mm)	
3110KL	3.15 in sq. X 0.98 in	25-40
	(80 mm sq. X 25 mm)	

Mechatronics Inc.

P.O. Box 20 Mercer Island, WA 98040 800 453-4569 Various sizes available with tach output option. **Sanyo Denki America, Inc.** 468 Amapola Ave. Torrance, CA 90501 310 783-5400

Model Number	Frame Size	Airflow CFM
109P06XXY601	2.36 in sq. X 0.79 in	11-15
	(60 mm sq. X 20 mm)	
109R06XXY401	2.36 in sq. X 0.98 in	13-28
	(60 mm sq. X 25 mm)	
109P08XXY601	3.15 in sq. X 0.79 in	23-30
	(80 mm sq. X 20 mm)	
109R08XXY401	3.15 in sq. X 0.98 in	21-42
	(80 mm sq. X 25 mm)	

# 13.0 REGISTERS AND RAM

### 13.1 Address Register

· ·

The main register is the ADDRESS Register. The bit designations are as follows:

Bit	Na	me		Read/ Write						
7-0	Address Pointer		Writ	e	Address of RAM and Registers. See the tables below for detail.					
E	Bit 7	Bit	t6 Bi		t 5	Bit 4	Bit 3	Bit 2	Bit 1	Bit 0
	Address Pointer (Power On default 00h)									
	A7	A6		A	5	A4	A3	A2	A1	A0

### 13.2 Address Pointer Index (A7-A0)

Registers and RAM	A6–A0 in Hex	Power On Value of Registers:	Notes
		<7:0> in Binary	
Configuration Register	40h	0000 1000	
Interrupt Status Register 1	41h	0000 0000	
Interrupt Status Register 2	42h	0000 0000	
Interrupt Mask Register 1	43h	0000 0000	
Interrupt Mask Register 2	44h	0000 0000	
CI Clear Register	46h	0000 0000	
VID/Fan Divisor Register	47h	<7:4> = 0101;	
		<3:0> = VID3-VID0	
Serial Bus Address Register	48h	<7:2> =0010 11; <1:0>	
		=(A1)(A0)	
VID4 Register	49h	<7:1> =1000 000;	
		<0>=VID4	
Temperature Configuration Register	4Bh	0000 0001	
Extended Mode Register 1	4Ch	0100 0100	
Extended Mode Register 2	4Dh	0000 0000	
Value RAM	19h-3Dh		Address 19h default=1111 1111
Company ID	3Eh	0000 0001	This default designates National
			Semiconductor.
Stepping	3Fh	0000 0011	Revisions of this device will start with 1 and increment by one.

13.3 Configuration Register — Address 40h

Power on default - <7:0 > = 00001000 binary

Bit	Name	Read/ Write	Description
0	Start	Read/Write	A one enables startup of monitoring operations, a zero puts the part in standby mode.
			Note: The outputs of Interrupt pins will not be cleared if the user writes a zero to this location after an interrupt has occurred unlike "INT_Clear" bit.
			At start up, limit checking functions and scanning begin. Note, all limits should be set in the Value RAM before setting this bit HIGH.
1	INT Enable	Read/Write	A one enables the INT Interrupt output.
2	Reserved	Read/Write	
3	INT_Clear	Read/Write	A one disables the INT output without affecting the contents of Interrupt Status Registers. The device will stop monitoring. It will resume upon clearing of this bit.
4	RESET	Read/Write	A one outputs at least a 20 ms active low reset signal at RESET. This bit is cleared once the pulse has gone inactive.
5	Reserved	Read/Write	
6	CI_Clear	Read/Write	A one outputs a minimum 20 ms active low pulse on the CI pin. The register bit self clears after the pulse has been output. This bit is mirrored in the CI Clear Register bit 7.
7	INITIALIZATION	Read/Write	A one restores power on default value to the Configuration Register, Interrupt Status Registers, Interrupt Mask Registers, CI Clear Register, VID/Fan Divisor Register, VID4, Temperature Configuration Register, and the Extended Mode Registers. This bit clears itself since the power on default is zero.

. .

# 13.4 Interrupt Status Register 1-Address 41h

Power on default - <7:0> = 0000 0000 binary

Bit	Name	Read/Write	Description
0	+2.5Vin	Read Only	A one indicates a High or Low limit has been exceeded.
1	Vccp1	Read Only	A one indicates a High or Low limit has been exceeded.
2	+3.3Vin	Read Only	A one indicates a High or Low limit has been exceeded.
3	+5Vin	Read Only	A one indicates a High or Low limit has been exceeded.
4	Temperature	Read Only	A one indicates a HIGH or HIHYST temperature error, see SECTION 8.2.
5	Reserved	Read Only	
6	FAN1	Read Only	A one indicates the fan count limit has been exceeded.
7	FAN2	Read Only	A one indicates the fan count limit has been exceeded.

### 13.5 Interrupt Status Register 2-Address 42h

Power on default - <7:0 > = 0000 0000 binary

Bit	Name	Read/Write	Description
0	+12Vin	Read Only	A one indicates a High or Low limit has been exceeded.
1	Vccp2	Read Only	A one indicates a High or Low limit has been exceeded.
2	Reserved	Read Only	
3	Reserved	Read Only	
4	CI	Read Only	A one indicates CI (Chassis Intrusion) has gone high.
5	Reserved	Read Only	
6	Reserved	Read Only	
7	TLOW	Read Only	A one indicates LOW temperature error in <b>EXTENDED MODE ONLY</b> , see <i>SECTION 8.2</i> .

### 13.6 Interrupt Mask Register 1 — Address 43h

Power on default - <7:0> = 0000 0000 binary

Bit	Name	Read/ Write	Description
0	+2.5Vin	Read/Write	A one disables the corresponding interrupt status bit for INT interrupt.
1	Vccp1	Read/Write	A one disables the corresponding interrupt status bit for INT interrupt.
2	+3.3Vin	Read/Write	A one disables the corresponding interrupt status bit for INT interrupt.
3	+5Vin	Read/Write	A one disables the corresponding interrupt status bit for INT interrupt.
4	Temperature	Read/Write	A one disables the corresponding interrupt status bit for INT interrupt.
5	Reserved	Read/Write	
6	FAN1	Read/Write	A one disables the corresponding interrupt status bit for INT interrupt.
7	FAN2	Read/Write	A one disables the corresponding interrupt status bit for INT interrupt.

# 13.7 Interrupt Mask Register 2—Address 44h

Power on default - <7:0 > = 0000 0000 binary

Bit	Name	Read/ Write	Description
0	+12Vin	Read/Write	A one disables the corresponding interrupt status bit for INT interrupt.
1	Vccp2	Read/Write	A one disables the corresponding interrupt status bit for INT interrupt.
2	Reserved	Read/Write	
3	Reserved	Read/Write	
4	Chassis Intrusion	Read/Write	A one disables the corresponding interrupt status bit for INT interrupt.
5	Reserved	Read/Write	
6	Reserved	Read/Write	
7	RESET Enable	Read/Write	<7> = 1 in INT Mask Register 2 enables the RESET in the Configuration Register.

### 13.8 Reserved Register — Address 45h

Power on default - <7:0> = 00h. Read/Write for backwards compatibility.

#### 13.9 CI Clear Register — Address 46h

Power on default - <7:0> = 0000 0000 binary

Bit	Name	Read/ Write	Description
0-6	Reserved	Read/Write	
7	CI Clear	Read/Write	A one outputs a minimum 20 ms active low pulse on the Chassis Intrusion pin. The register bit self clears after the pulse has been output. This bit is mirrored in Configuration Register bit 6.

. .

13.10 VID/Fan Divisor Register — Address 47h

Power on default - <7:4> is 0101, and <3:0> is mapped to VID <3:0>

Bit	Name	Read/Write	Description
0-3	VID <3:0>	Read Only	The VID <3:0> inputs from the Pentium/PRO power supplies that indicate the
			operating voltage (e.g. 1.5V to 2.9V).
4-5	FAN1 RPM	Read/Write	FAN1 Speed Control.
	Control		
			<5:4> = 00 - divide by 1;
			<5:4> = 01 - divide by 2;
			<5:4> = 10 - divide by 4;
			<5:4> = 11 - divide by 8.
6-7	FAN2 RPM	Read/Write	FAN2 Speed Control.
	Control		
			<7:6> = 00 - divide by 1;
			<7:6> = 01 - divide by 2;
			<7:6> = 10 - divide by 4;
			<7:6> = 11 - divide by 8.

### 13.11 Serial Bus Address Register — Address 48h

Power on default – Serial Bus address <6:0> = 010 11(A1)(A0) and <7> = 0 binary

Bit	Name	Read/Write	Description
0-1	Serial Bus Address	Read Only	Serial Bus address <1:0> = A1 A0
2-6	Serial Bus Address	Read/Write	Serial Bus address <6:2> = 010 11
7	Reserved	Read/Write	

#### 13.12 VID4 Register — Address 49h

Power on default  $- <7:1 > = 100\ 000, <0 > = VID4.$ 

Bit	Name	Read/Write	Description
0	VID4	Read Only	VID4 input from Pentium/PRO power supply that indicate the operating voltage of the processor (e.g. 1.5V to 2.9V).
1-7	Reserved	Read/Write	

#### 13.13 Temperature Configuration Register — Address 4Bh

Power on default  $- <7:0> = 0000\ 0001$  binary

Bit	Name	Read/Write	Description
0-1	Temperature Interrupt Mode Select Bits	Read/Write	The state of these bits select the interrupt mode for $\overline{\text{INT}}$ as described below. <1:0> = 00 or <1:0> = 11: Repetitive Interrupt Mode <1:0> = 01: One-Time Interrupt Mode <1:0> = 10: Comparator Mode
2-6	Reserved	Read/Write	
7	Temperature Resolution	Read Only	For 8-bit plus sign temperature resolution: <7> = LSB ( 0.5°C)

**13.14 Extended Mode Register 1 — Address 4Ch** Power on default - <7:0> = 0100 0100 binary

Bit	Name	Read/Write	Description
0	Extended Mode Enable	Read/Write	A one enables the Extended Interrupt Modes, the $\overline{T_CRIT_A}$ output and all the functions listed in the Extended Mode Registers. Bit 7 of the Interrupt Status register will be activated to reflect the interrupt status of the LOW limit comparison result.
1	LOW Limit Mask Bit	Read/Write	A mask bit for the LOW limit Interrupt. A one disables the interrupt from propagating to the $\overline{\text{INT}}$ pin.
2-3	T_CRIT_A Interrupt Mode Select	Read/Write	The state of these bits select the interrupt mode for T_CRIT_A as described below. <3:2> = 00 or <3:2> = 11: Repetitive Interrupt Mode <3:2> = 01: One-Time Interrupt Mode <3:2> = 10: Comparator Mode
4	T_CRIT_A Enable	Read/Write	A one enables the $\overline{T_CRIT_A}$ pin.
5	T_CRIT_A Polarity	Read/Write	A one sets the $\overline{T}$ _CRIT_A pin active HIGH. A zero sets the $\overline{T}$ _CRIT_A pin active LOW.
6	T_CRIT_A Mask Enable	Read/Write	A one prevents the $\overline{T\_CRIT\_A}$ interrupt from propagating to the $\overline{INT}$ output pin.
7	T_CRIT_A Status Bit	Read	A one indicates that a $\overline{T_CRIT_A}$ interrupt has occurred.


### 13.15 Extended Mode Register 2 — Address 4Dh


Power on default - <7:0> = 0000 0000 binary

Bit	Name	Read/Write	Description
0-2	Hysteresis Offset Value	Read/Write	T <sub>HYST</sub> value.
3	12-bit Temperature Resolution Enable	Read/Write	A one sets the temperature resolution to 12 bits.
4-7	12-bit Temperature Data	Read Only	12-bit temperature data least significant bits. Bit 7 mirrors bit 7 in the temperature configuration register (4Bh) and has a weight of 0.5°C; bits 6-4 have a weight of 0.25, 0.125, and 0.0625°C, respectively.

Address A6–A0	Description
15h	Manufacturers Test Register
19h	DAC data register; power on default <7:0>=1111 1111 binary
20h	+2.5Vin reading
21h	Vccp1 reading
22h	+3.3Vin reading
23h	+5Vin reading
24h	+12Vin reading
25h	Vccp2 reading
26h	Reserved reading
27h	Temperature reading (8 MSBs)
28h	FAN1 reading
	<b>Note:</b> This location stores the number of counts of the internal clock per revolution.
29h	FAN2 reading
	Note: This location stores the number of counts of the internal clock per revolution.
2Ah	Reserved
2Bh	+2.5Vin High Limit
2Ch	+2.5Vin Low Limit
2Dh	Vccp1 High Limit
2Eh	Vccp1 Low Limit
2Fh	+3.3Vin High Limit
30h	+3.3Vin Low Limit
31h	+5Vin High Limit
32h	+5Vin Low Limit
33h	+12Vin High Limit
34h	+12Vin Low Limit
35h	Vccp2 High Limit
36h	Vccp2 Low Limit
37h	T_CRIT Limit (Extended Mode)
38h	LOW Limit (Extended Mode)
39h	HIGH Temperature Limit
3Ah	HIHYST Temperature Limit
3Bh	FAN1 Fan Count Limit
	Note: It is the number of counts of the internal clock for the Low Limit of the fan speed.
3Ch	FAN2 Fan Count Limit
	Note: It is the number of counts of the internal clock for the Low Limit of the fan speed.
3Dh	Reserved
3Eh	Company Identification. The number in this register identifies National Semiconductor (0000 0001)
3Fh	Stepping Register LM81 revision number (0000 0011)
ages go below the I	he high limits for voltages and fans (0111 1111 binary for temperature) means interrupts will <b>never</b> be generated except the case when vo low limits. gh limits, the device is doing a greater than comparison. For low limits, however, it is doing a less than or equal to comparison.

. .





National does not assume any responsibility for use of any circuitry described, no circuit patent licenses are implied and National reserves the right at any time without notice to change said circuitry and specifications.