


| | | | | | |
|---|--------------------|---------|-------------------------|------------|-----|
| <p>DIMENSION(UNIT:mm)</p>  | | | A | 16.0 ± 0.5 | m/m |
| | | | B | 28.0 ± 0.7 | m/m |
| | | | C | 9.0 ± 0.5 | m/m |
| | | | D | | m/m |
| | | | E | | m/m |
| | | | F | | m/m |
| | | | G | | m/m |
| | | | H | | m/m |
| | | | I | | m/m |
| | | | J | | m/m |
| | | | ELECTRICAL REQUIREMENTS | | |
| MIN 70 OHM | TEST FREQ | 25 MHz | | | |
| MIN 140 OHM | TEST FREQ | 100 MHz | | | |
| MATERIAL (ui) | 800 ± 25% | | | | |
| WIRE | 2UEW φ 0.6 × 120mm | | | | |
| WINDING | 1 Ts | | | | |

| IMPEDANCE | | | | | DIMENSION (UNIT : mm) | | | | |
|-----------|---------------|----------------|--|--|-----------------------|---------------|--------------|--|--|
| FREQ | 25 MHz | 100 MHz | | | A | B | C | | |
| SPEC | MIN 70 OHM | MIN 140 OHM | | | 16.0 ± 0.5 | 28.0 ± 0.7 | 9.0 ± 0.5 | | |
| 1 | 84.0 | 192.9 | | | 16.07 | 28.11 | 9.39 | | |
| 2 | 83.5 | 193.3 | | | 16.23 | 28.15 | 9.30 | | |
| 3 | 83.2 | 187.0 | | | 16.13 | 28.07 | 9.25 | | |
| 4 | 83.0 | 192.0 | | | 16.19 | 28.33 | 9.34 | | |
| 5 | 84.6 | 188.1 | | | 16.02 | 28.23 | 9.23 | | |
| 6 | 84.0 | 192.9 | | | 16.07 | 28.11 | 9.39 | | |
| 7 | 83.5 | 193.3 | | | 16.23 | 28.15 | 9.30 | | |
| 8 | 83.2 | 187.0 | | | 16.13 | 28.07 | 9.25 | | |
| 9 | 83.0 | 192.0 | | | 16.19 | 28.33 | 9.34 | | |
| 10 | 84.6 | 188.1 | | | 16.02 | 28.23 | 9.23 | | |
| \bar{X} | 83.6 | 190.7 | | | 16.13 | 28.18 | 9.30 | | |
| R | 1.6 | 6.3 | | | 0.21 | 0.26 | 0.16 | | |

