


## Verbatim LED GU5.3 5.5W 2700K 400lm

- GU5.3 Socket
- 12V AC/DC
- 40,000 hours Lifetime
- Dimmable
- 86% Energy Saving
- Luminous Flux 90° Cone: 400 lm
- Equivalent to 38W incandescent bulb

<b>Product Number</b>	<b>52316</b>
<b>General Data</b>	
Lamp Socket	GU5.3
Design	MR16 GU5.3
<b>Electric Data</b>	
Wattage (W)	5.5
Wattage Equivalent (W)	38
Voltage (V)	12V AC/DC
Dimmable	yes
Power Factor	0.9
Operating Frequency (Hz)	50/60
<b>Geometric Data</b>	
Length (mm)	48.6
Diameter (mm)	50.0
Weight (g)	40
<b>Photometric Data</b>	
Luminous Flux (lm)	420
Luminous Flux 90° Cone (lm)	400
CRI	80
CCT (K)	2700
Luminous Intensity (cd)	1000
Beam Angle (°)	35
Luminous Efficacy (lm/W)	76
Lifetime (hrs)	40,000
Switching Cycle	100,000




## Product image



## Application image



### Energy Rating



### Technical Packaging Details

**Barcode**

023942523161

**EAN 128**

(02)00023942523161(37)10(91)814

**EAN 14**

50023942523166

**Pack Dimensions(HxWxL)**

H 67 \* W 51 \* L 51 mm (mm)

**Pack Weight**

52 (g)

**MOQ**

10

**Carton Dimensions (HxWxL)**

H 60 \* W 145 \* L 280 mm (mm)

**Cartons/Pallet**

221

**Layers/Pallet**

13

**Units/Pallet**

2210



### Photometric Diagrams

