

Verbatim LED Tracklight 15W 4000K 1300lm White

- Energy efficient LED track light
- Universal track adaptor (GLOBAL GA69)
- 50.000 hours lifetime (L70)
- 4000K neutral white light
- Light output of 1300lm
- Dimmable


Product Number	52453
General Data	
Installation type	Track-mounted
Housing material	Aluminum
Housing colour	White
Protection class	IP20
Dimmable	yes
Geometric Data	
Length (mm)	128
Height (mm)	152
Width (mm)	86
Weight (g)	640
Electric Data	
Wattage (W)	15
Voltage (V)	220-240
Current (mA)	70
Power Factor	>0.9
Operating Frequency (Hz)	50-60
Safety Class	Class I
Power supply	Integrated
Photometric Data	
Luminous Flux (lm)	1300
CRI	80
CCT (K)	4000
Luminous Efficacy (lm/W)	86.67
Luminous Intensity (cd)	2700
Beam Angle (°)	40
Lifespan	
Lifetime (hrs)	50,000
Switching Cycle	100,000
Mechanical Parameters	
Glow wire test	850°C



Product image




Technical drawing



Application image




Energy Rating



This luminaire contains built-in LED lamps.

A++
A+
A
B
C
D
E

LED



The lamps cannot be changed in the luminaire.

Verbatim 52453

874/2012

Technical Packaging Details

Barcode	023942524533
EAN 128	(02)00023942524533(37)04(91)817
EAN 14	50023942524538
Pack Dimensions(HxWxL)	???(mm)
Pack Weight	800 (g)
MOQ	1
Carton Dimensions (HxWxL)	104 x 184 x 203 (mm)
Cartons/Pallet	160
Layers/Pallet	8
Units/Pallet	160



Photometric Diagrams

