

Verbatim LED Tracklight 15W 3000K 1200lm Black

- Energy efficient LED track light
- Universal track adaptor (GLOBAL GA69)
- Dimmable
- Light output of 1200lm
- 50.000 hours lifetime (L70)
- 3000K warm white light
- Equipped with Mitsubishi Chemical's Vx-filter

Product Number	52458
General Data	
Installation type	Track-mounted
Housing material	Aluminum
Housing colour	Black
Protection class	IP20
Dimmable	yes
Geometric Data	
Length (mm)	128
Height (mm)	152
Width (mm)	86
Weight (g)	640
Electric Data	
Wattage (W)	15
Voltage (V)	220-240
Current (mA)	70
Power Factor	>0.9
Operating Frequency (Hz)	50-60
Safety Class	I
Power supply	Integrated
Photometric Data	
Luminous Flux (lm)	1200
CRI	80
CCT (K)	3000
Luminous Efficacy (lm/W)	80.00
Luminous Intensity (cd)	2500
Beam Angle (°)	40
Lifespan	
Lifetime (hrs)	50,000
Switching Cycle	100,000
Mechanical Parameters	
Glow wire test	850°C




Product image



Application image



Energy Rating



This luminaire contains built-in LED lamps.

The lamps cannot be changed in the luminaire.

Verbatim 52458 **874/2012**

Technical Packaging Details

Barcode	023942524526
EAN 128	(02)00023942524526(37)04(91)817
EAN 14	50023942524521
Pack Dimensions(HxWxL)	???(mm)
Pack Weight	800 (g)
MOQ	1
Carton Dimensions (HxWxL)	104 x 184 x 203 (mm)
Cartons/Pallet	160
Layers/Pallet	8
Units/Pallet	160

